

Complete Stock Bag List



Automated Packaging Systems is the originator and sole manufacturer of genuine Autobag® bags-on-a-roll and AirPouch™ void-fill air pillows. Since 1962, we have been committed to providing the highest quality poly bags with the shortest lead times in the industry.

Our US plastics manufacturing processes are certified to ISO 9001/2000. Bag material uniformity and integrity exceed quality standards established by the Flexible Packaging Association (FPA).

With multiple manufacturing facilities in the US and Europe, we offer the largest plastic bag manufacturing capacity to ensure your supply chain remains constant. We maintain over 100 million stock bags in a variety of materials, sizes and features to meet a wide range of bag packaging applications.

Customers who use system-matched Autobag bags exclusively qualify for the Systems Advantage™ Program, which offers a variety of preferred services and incentives that enhance overall value of their packaging operation.

To learn more, or to place an order, please call us at 1-888-AUTOBAG.

Clear Stock Bags

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Boxes / Skid | Lbs. / Skid |
|------|-----|---|-----|----------------|----------|-------------|----------|-------------|--------------|-------------|
| 1 | 2 | x | 3 | Standard Duty | 160-1 | 5,500 | 0.63 | 16 | 16 | 887 |
| 2 | 2 | x | 6 | Standard Duty | 210-1 | 2,500 | 1.10 | 16 | 16 | 704 |
| 1 | 2.5 | x | 2.5 | Light Duty | 240-1 | 7,250 | 0.57 | 12 | 16 | 793 |
| 1 | 2.5 | x | 3 | Light Duty | 250-1 | 6,500 | 0.67 | 12 | 16 | 836 |
| 2 | 2.5 | x | 3.5 | Light Duty | 260-1 | 5,000 | 0.71 | 12 | 16 | 682 |
| 1 | 2.5 | x | 4 | Light Duty | 270-1 | 5,000 | 0.88 | 12 | 16 | 845 |
| 2 | 2.5 | x | 4.5 | Standard Duty | 280-1 | 4,000 | 1.04 | 12 | 16 | 799 |
| 2 | 2.5 | x | 8 | Standard Duty | 290-1 | 2,000 | 1.81 | 12 | 16 | 695 |
| 1 | 3 | x | 3 | Light Duty | 320-1 | 6,500 | 0.81 | 12 | 16 | 1,010 |
| 1 | 3 | x | 3 | Light Duty/VEP | 320VP-1 | 6,500 | 0.81 | 12 | 16 | 1,010 |
| 1 | 3 | x | 3 | Standard Duty | 330-1 | 5,500 | 0.94 | 12 | 16 | 993 |
| 2 | 3 | x | 3 | Extra Tuff | 340-1 | 4,000 | 1.22 | 12 | 16 | 937 |
| 1 | 3 | x | 4 | Light Duty | 360-1 | 5,000 | 1.05 | 12 | 16 | 1,008 |
| 1 | 3 | x | 4 | Standard Duty | 370-1 | 4,000 | 1.23 | 12 | 16 | 945 |
| 2 | 3 | x | 4 | Extra Tuff | 380-1 | 3,000 | 1.60 | 12 | 16 | 922 |
| 2 | 3 | x | 4 | Super Tuff | 390-1 | 2,250 | 2.24 | 12 | 16 | 968 |
| 1 | 3 | x | 5 | Light Duty | 400-1 | 4,000 | 1.30 | 12 | 16 | 998 |
| 1 | 3 | x | 5 | Standard Duty | 410-1 | 3,000 | 1.52 | 12 | 16 | 876 |
| 2 | 3 | x | 5 | Extra Tuff | 420-1 | 2,250 | 1.97 | 12 | 16 | 851 |
| 2 | 3 | x | 5 | Super Tuff | 430-1 | 2,000 | 2.76 | 12 | 16 | 1,060 |
| 2 | 3 | x | 6 | Standard Duty | 460-1 | 2,500 | 1.65 | 12 | 16 | 792 |
| 1 | 3 | x | 8.5 | Light Duty | 495-1 | 2,250 | 2.17 | 12 | 16 | 937 |
| 1 | 3 | x | 11 | Light Duty | 500-1 | 1,750 | 2.79 | 12 | 16 | 937 |
| 2 | 3.5 | x | 4 | Standard Duty | 520-1 | 4,000 | 1.31 | 12 | 12 | 755 |

Clear Stock Bags, cont.

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Boxes / Skid | Lbs. / Skid |
|------|-----|---|-----|---------------------------------------|----------|-------------|----------|-------------|--------------|-------------|
| 2 | 3.5 | x | 5.5 | Standard Duty | 570-1 | 2,750 | 1.77 | 12 | 12 | 701 |
| 2 | 3.5 | x | 9 | Standard Duty | 590-1 | 1,500 | 2.84 | 12 | 12 | 613 |
| 1 | 3.5 | x | 10 | Light Duty/VEP | 1140-1 | 2,000 | 2.54 | 12 | 12 | 732 |
| 1 | 4 | x | 4 | Light Duty | 600-1 | 5,000 | 1.41 | 8 | 16 | 902 |
| 1 | 4 | x | 4 | Standard Duty | 610-1 | 4,000 | 1.64 | 8 | 16 | 840 |
| 1 | 4 | x | 4 | Standard Duty/ (1) Perfed Air Hole | 610A-1 | 4,000 | 1.64 | 8 | 16 | 840 |
| 1 | 4 | x | 4 | Extra Tuff | 612-1 | 3,000 | 2.13 | 8 | 16 | 818 |
| 1 | 4 | x | 5 | Light Duty | 630-1 | 4,000 | 1.74 | 8 | 16 | 891 |
| 1 | 4 | x | 5 | Light Duty/VEP | 630VP-1 | 4,000 | 1.74 | 8 | 16 | 891 |
| 1 | 4 | x | 5 | Standard Duty | 640-1 | 3,000 | 2.03 | 8 | 16 | 780 |
| 1 | 4 | x | 5 | Extra Tuff | 650-1 | 2,250 | 2.63 | 8 | 16 | 757 |
| 1 | 4 | x | 6 | Light Duty | 710-1 | 3,000 | 2.07 | 8 | 16 | 795 |
| 1 | 4 | x | 6 | Standard Duty | 720-1 | 2,500 | 2.41 | 8 | 16 | 771 |
| 1 | 4 | x | 6 | Extra Tuff | 730-1 | 2,000 | 3.13 | 8 | 16 | 801 |
| 1 | 4 | x | 6 | Super Tuff | 740-1 | 1,500 | 4.39 | 8 | 16 | 843 |
| 1 | 4 | x | 7 | Light Duty | 746-1 | 2,750 | 2.40 | 8 | 16 | 845 |
| 2 | 4 | x | 8 | Light Duty | 750-1 | 2,250 | 2.73 | 8 | 16 | 786 |
| 1 | 4 | x | 8 | Standard Duty | 760-1 | 1,750 | 3.18 | 8 | 16 | 712 |
| 1 | 4.5 | x | 5 | Standard Duty | 765-1 | 3,000 | 2.03 | 8 | 16 | 780 |
| 1 | 4.5 | x | 5.5 | Standard Duty | 670-1 | 2,750 | 2.22 | 8 | 16 | 781 |
| 1 | 5 | x | 5 | Light Duty | 770-1 | 4,000 | 2.17 | 8 | 12 | 833 |
| 1 | 5 | x | 5 | Standard Duty | 775-1 | 3,000 | 2.53 | 8 | 12 | 729 |
| 1 | 5 | x | 5 | Extra Tuff | 780-1 | 2,250 | 3.29 | 8 | 12 | 711 |
| 1 | 5 | x | 6 | Light Duty | 810-1 | 3,000 | 2.59 | 8 | 12 | 746 |
| 1 | 5 | x | 6 | Standard Duty | 815-1 | 2,500 | 3.02 | 8 | 12 | 725 |
| 1 | 5 | x | 6 | Extra Tuff | 820-1 | 2,000 | 3.92 | 8 | 12 | 753 |
| 1 | 5 | x | 7 | Light Duty | 830-1 | 2,750 | 3.00 | 8 | 12 | 792 |
| 1 | 5 | x | 7 | Standard Duty | 840-1 | 2,000 | 3.50 | 8 | 12 | 672 |
| 1 | 5 | x | 7 | Extra Tuff | 850-1 | 1,750 | 4.54 | 8 | 12 | 427 |
| 1 | 5 | x | 7 | Extra Tuff/(1) Perfed Air Hole | 850A-1 | 1,750 | 4.54 | 8 | 12 | 763 |
| 1 | 5 | x | 7 | Super Tuff | 860-1 | 1,250 | 6.36 | 8 | 12 | 763 |
| 1 | 5 | x | 8 | Standard Duty | 870-1 | 1,750 | 3.98 | 8 | 12 | 669 |
| 1 | 5 | x | 8 | Extra Tuff | 880-1 | 1,500 | 5.17 | 8 | 12 | 744 |
| 2 | 5 | x | 9 | Extra Tuff | 890-1 | 1,500 | 5.80 | 8 | 12 | 835 |
| 1 | 5 | x | 10 | Standard Duty | 900-1 | 1,500 | 4.95 | 8 | 12 | 713 |
| 1 | 5 | x | 11 | Light Duty | 910-1 | 1,500 | 4.65 | 8 | 12 | 670 |
| 1 | 6 | x | 6 | Light Duty | 920-1 | 3,000 | 3.10 | 4 | 20 | 744 |
| 1 | 6 | x | 6 | Light Duty/VEP | 1200-1 | 3,000 | 3.10 | 4 | 20 | 744 |

Clear Stock Bags, cont.

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Boxes / Skid | Lbs. / Skid |
|------|------|---|------|---------------------------------------|----------|-------------|----------|-------------|--------------|-------------|
| 1 | 6 | x | 6 | Standard Duty | 950-1 | 2,500 | 3.62 | 4 | 20 | 724 |
| 1 | 6 | x | 6 | Standard Duty/ (1) Perfed Air Hole | 952A-1 | 2,500 | 3.62 | 4 | 20 | 724 |
| 2 | 6 | x | 6 | Super Tuff | 960-1 | 1,500 | 6.58 | 4 | 16 | 1,053 |
| 1 | 6 | x | 7 | Light Duty | 970-1 | 2,750 | 3.60 | 4 | 20 | 792 |
| 2 | 6 | x | 7 | Extra Tuff | 980-1 | 1,750 | 5.45 | 4 | 16 | 610 |
| 1 | 6 | x | 8 | Light Duty | 990-1 | 2,250 | 4.09 | 4 | 20 | 736 |
| 1 | 6 | x | 8 | Light Duty/VEP | 1210-1 | 2,250 | 4.09 | 4 | 20 | 736 |
| 1 | 6 | x | 8 | Standard Duty | 1000-1 | 1,750 | 4.78 | 4 | 20 | 669 |
| 1 | 6 | x | 8 | Extra Tuff | 1010-1 | 1,500 | 6.20 | 4 | 20 | 744 |
| 1 | 6 | x | 8 | Super Tuff | 1020-1 | 1,000 | 8.69 | 4 | 20 | 695 |
| 1 | 6 | x | 9 | Light Duty | 1025-1 | 2,000 | 4.59 | 4 | 20 | 551 |
| 1 | 6 | x | 10 | Standard Duty | 1030-1 | 1,500 | 5.94 | 4 | 20 | 713 |
| 1 | 6 | x | 10 | Super Tuff | 1035-1 | 750 | 10.79 | 4 | 20 | 647 |
| 1 | 7 | x | 8 | Standard Duty | 1060-1 | 1,750 | 5.57 | 4 | 20 | 780 |
| 1 | 7 | x | 8 | Super Tuff | 1065-1 | 1,000 | 10.13 | 4 | 20 | 810 |
| 1 | 7.5 | x | 9 | Standard Duty | 1073-1 | 1,500 | 6.70 | 4 | 20 | 804 |
| 1 | 8 | x | 10 | Light Duty | 1076-1 | 1,750 | 6.78 | 4 | 16 | 759 |
| 1 | 8 | x | 10 | Standard Duty | 1080-1 | 1,500 | 7.91 | 4 | 16 | 759 |
| 1 | 8 | x | 10 | Extra Tuff | 1090-1 | 1,250 | 10.28 | 4 | 16 | 822 |
| 1 | 8 | x | 10 | Super Tuff | 1095-1 | 750 | 14.39 | 4 | 16 | 691 |
| 1 | 9 | x | 12.5 | Standard Duty | 1100-1 | 1,250 | 11.08 | 4 | 16 | 886 |
| 1 | 9 | x | 12.5 | Standard Duty/(1) Perfed Air Hole | 1100A-1 | 1,250 | 11.08 | 4 | 16 | 886 |
| 1 | 9 | x | 12.5 | Extra Tuff | 1150-1 | 1,000 | 14.38 | 4 | 16 | 920 |
| 1 | 9 | x | 12.5 | Super Tuff | 1160-1 | 600 | 20.13 | 4 | 16 | 773 |
| 2 | 9 | x | 14 | Super Tuff | 1170-1 | 600 | 22.50 | 4 | 16 | 864 |
| 1 | 10.5 | x | 15 | Super Tuff | 1180-1 | 500 | 26.76 | 4 | 16 | 856 |
| 2 | 10 | x | 15 | Light Duty/(2) Thru Air Holes | 1400-1 | 1,500 | 11.47 | 4 | 12 | 826 |
| 1 | 10 | x | 15 | Standard Duty/(2) Thru Air Holes | 1402A-1 | 1,250 | 14.72 | 4 | 16 | 1,178 |
| 2 | 10 | x | 17 | Standard Duty/(2) Thru Air Holes | 1411A-1 | 1,000 | 14.27 | 4 | 16 | 913 |
| 2 | 10.5 | x | 17.8 | Standard Duty/(2) Thru Air Holes | 1420A-1 | 900 | 18.24 | 4 | 16 | 1,050 |

Clear Stock Bags, cont.

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Box | Lbs. / M | Boxes / Skid | Lbs. / Skid |
|------|----|---|----|------------------------|----------|------------|----------|--------------|-------------|
| 1 | 10 | x | 15 | Ultra Light/ (16) SLTV | 1230-1 | 3,500 | 10.40 | 24 | 874 |

Clear & White Stock Bags

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Boxes / Skid | Lbs. / Skid |
|------|---|---|------|-------------------|------------|-------------|----------|-------------|--------------|-------------|
| 1 | 3 | x | 4 | Standard Duty | 370WF-1 | 4,000 | 1.23 | 12 | 16 | 945 |
| 1 | 3 | x | 4 | Extra Tuff | 380WF-1 | 3,000 | 1.60 | 12 | 16 | 922 |
| 1 | 3 | x | 5 | Standard Duty | 410WF-1 | 3,000 | 1.52 | 12 | 16 | 876 |
| 1 | 4 | x | 4 | Standard Duty | 610WF-1 | 4,000 | 1.49 | 8 | 16 | 48.6 |
| 1 | 4 | x | 6 | Standard Duty | 720WF-1 | 2,500 | 2.41 | 8 | 16 | 771 |
| 2 | 4 | x | 6 | Standard Duty/VEP | 720WFVP-1 | 2,500 | 2.41 | 8 | 16 | 771 |
| 1 | 4 | x | 6 | Extra Tuff | 730WF-1 | 2,000 | 3.13 | 8 | 16 | 801 |
| 1 | 5 | x | 7 | Standard Duty | 840WF-1 | 2,000 | 3.50 | 8 | 12 | 672 |
| 1 | 5 | x | 7 | Extra Tuff | 850WF-1 | 1,750 | 4.54 | 8 | 12 | 763 |
| 1 | 6 | x | 8 | Standard Duty | 1000WF-1 | 1,750 | 4.78 | 4 | 20 | 669 |
| 2 | 6 | x | 8 | Standard Duty/VEP | 1000WFVP-1 | 1,750 | 4.78 | 4 | 20 | 669 |
| 1 | 6 | x | 8 | Extra Tuff | 1010WF-1 | 1,500 | 6.20 | 4 | 20 | 744 |
| 1 | 8 | x | 10 | Standard Duty | 1080WF-1 | 1,500 | 7.91 | 4 | 16 | 759 |
| 1 | 8 | x | 10 | Extra Tuff | 1090WF-1 | 1,250 | 10.28 | 4 | 16 | 822 |
| 2 | 9 | x | 12.5 | Standard Duty | 1100WF-1 | 1,250 | 11.07 | 4 | 16 | 886 |
| 2 | 9 | x | 12.5 | Extra Tuff | 1150WF-1 | 1,000 | 14.38 | 4 | 16 | 920 |

CTS4000 Clean Towel System Stock Bags

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Lbs. / Skid |
|------|----|---|----|---------------------------------------|----------|-------------|----------|-------------|-------------|
| 2 | 15 | x | 30 | Ultra Light / SLTV | 1530CL | 1,500 | 31.00 | 16 | 744 |
| 2 | 15 | x | 30 | Ultra Light / GRAY / SLTV | 1530GR | 1,500 | 31.00 | 16 | 744 |
| 2 | 15 | x | 32 | Light Duty / SLTV | 1532-1 | 1,250 | n/a | 16 | n/a |
| 2 | 15 | x | 34 | Ultra Light / SLTV | 1534CL | 1,000 | n/a | 16 | n/a |
| 2 | 15 | x | 34 | Ultra Light / GRAY-CLEAR COMBO / SLTV | 1534CLGR | 1,000 | n/a | 16 | n/a |

AB 255 Shop Towel Stock Bags

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Lbs. / Skid |
|------|------|---|----|--------------------------------|----------|-------------|----------|-------------|-------------|
| 1 | 10.5 | x | 27 | Ultra Light / (16) SLTV | 1500-1 | 2,000 | 20.80 | 24 | 998 |
| 1 | 10.5 | x | 27 | Ultra Light / GRAY / (16) SLTV | 1510-1 | 2,000 | 20.80 | 24 | 998 |
| 1 | 15 | x | 28 | Ultra Light / (16) SLTV | 1528-1 | 1,500 | 28.95 | 16 | 695 |
| 2 | 15 | x | 28 | Ultra Light / GRAY / (16) SLTV | 1530-1 | 1,500 | 28.95 | 16 | 695 |

Order Fulfillment 3-Layer Co-ex Film OF3

| Tier | W | x | L | Mil / Feature | Part No. | Bags / Roll | Lbs. / M | Rolls / Box | Lbs. / Skid |
|------|----|---|----|-----------------------|-----------|-------------|----------|--------------|-------------|
| 1 | 8 | x | 10 | Standard Duty (2) AIR | OF810AR25 | 1,000 | 13.25 | 16 | 860 |
| 1 | 9 | x | 12 | Standard Duty (2) AIR | OF912AR25 | 800 | 17.99 | 16 | 921 |
| Tier | W | x | L | Mil / Feature | Part No. | Bags / Box | Lbs. / M | Boxes / Skid | Lbs. / Skid |
| 1 | 11 | x | 12 | Extra Tuff (2) AIR | OF1112AB3 | 1,200 | 26.2 | 24 | 754 |
| 1 | 11 | x | 14 | Extra Tuff (2) AIR | OF1114AB3 | 1,100 | 30.48 | 24 | 805 |
| 1 | 14 | x | 14 | Extra Tuff (2) AIR | OF1414AB3 | 1,100 | 38.51 | 24 | 1,017 |

Tier 1 = Shipped within 48 hours, Tier 2 = Shipped within 5 business days

SLTV = Vertical Slit, VEP = Vertical Perforation, AIR = Air hole

Order of film from Lightest to Heaviest Mil: Ultra Light, Light Duty, Standard Duty, Extra Tuff & Super Tuff

All weights are approximate.

Features, Options & Technical Specifications subject to change.

Delivery of high volume stock bag orders may differ from the normal Tier 1 and 2 stock bag lead times.

Please contact your APS representative for details.

machines

materials

service

s y s t e m s a d v a n t a g e

AUTOMATED PACKAGING SYSTEMS, INC.

10175 Philipp Parkway • Streetsboro, Ohio 44241

Tel: 330-342-2000 • Toll Free: 1-888-AUTOBAG • Fax: 330-342-2400 • www.autobag.com